£.1

SEQUENCE LISTING.txt

SEQUENCE LISTING

<221> MOD_RES

```
<110> DuPont Pharmaceuticals Company
```

<120> Peptidase-cleavable, targeted antineoplastic drugs a nd their therapeutic use

```
<130> PH-7134
<150> 60/189,387
<151>
      2000-03-15
<160>
      210
      PatentIn version 3.0
<170>
<210>
      1
<211>
<212>
      PRT
<213>
      Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> 4-methoxy-benzenesulfonyl-beta-alanine
<220>
<221> MOD_RES
<222>
      (3)..(3)
<223>
     homophenylalanine
<400> 1
Xaa Gly Xaa Tyr Leu
                5
<210>
     2
<211>
      5
<212>
      PRT
<213>
     Artificial
<220>
<223>
     no comment
<220>
```

```
SEQUENCE LISTING.txt
        <222> (1)..(1)
        <223> 1,2-C6H4(CO)2-histidine
        <220>
        <221>
              MOD_RES
        <222>
              (3)..(3)
        <223>
               homophenylalanine
        <400>
               2
       Xaa Gly Xaa Tyr Leu
                        5
       <210>
               3
       <211>
              5
       <212>
              PRT
[]
       <213>
             Artificial
4[]
M
       <220>
£.1
       <223>
             no comment
H
£()
       <220>
Ш
       <221>
              MOD_RES
N
       <222>
              (1)..(1)
€
<223>
              acetyl-proline
Įį]
ļai
       <400> 3
171
Xaa Leu Gly Leu Leu
į.
                       5
       <210> 4
       <211> 5
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221>
              MOD_RES
      <222>
              (1)..(1)
      <223>
             acetyl-proline
      <400>
             4
```

Xaa Leu Gly Leu Leu

```
SEQUENCE LISTING.txt
                 5
      5
      5
      PRT
       Artificial
      no comment
      MOD_RES
       (2)..(2)
<223> beta alanine
      MOD_RES
      (1)..(1)
       acetyl-proline
       5
Xaa Xaa Gly Leu Leu
       6
       5
      PRT
      Artificial
      no comment
<221> MOD_RES
      (2)..(2)
      4-aminobutyric acid
      MOD_RES
      (1)..(1)
      acetyl-proline
```

Xaa Xaa Gly Leu Leu 1 5

6

1

<210>

<211>

<212>

<213>

<220> <223>

<220> <221>

<222>

<220> <221>

<222>

<223>

<400>

<210>

<211>

<212>

<213>

<220> <223>

<220>

<222>

<223>

<220> <221>

<222>

<223>

<400>

[]

!]]

(I) f.j [()

Ü [4]

ri, Ħ []

[1]

ļ.

[] į.

```
<210> 7
       <211>
       <212> PRT
       <213>
             Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (2)..(2)
       <223> cyclohexylalanine
       <220>
       <221> MOD_RES
       <222> (1)..(1)
[]
       <223> acetyl-proline
411
[[]
<400> 7
[[]
Ü
       Xaa Xaa Gly Leu Leu
L.
                       5
       1
14
       <210>
             8
       <211>
             5
ij
       <212>
             PRT
1=1
       <213> Artificial
1
401
       <220>
<223> no comment
       <400> 8
       Pro Leu Gly Leu Leu
                       5
       <210> 9
       <211> 5
       <212> PRT
       <213> Artificial
       <220>
       <223>
            no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223>
              MeOCH2CH2OCH2(=0)-proline
                                  Page 4
```

```
<400> 9
       Xaa Leu Gly Leu Leu
       <210> 10
       <211> 5
       <212> PRT
       <213> Artificial
       <220>...
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
4.
1.
1.
       <223> MeOCH2CH2OCH2CH2OCH2C(=0)-proline
[]
       <400> 10
Ž()
Ü
       Xaa Leu Gly Leu Leu
[i]
                        5
[l]
       <210>
             11
       <211> 5
Ļij
       <212>
             PRT
1-5
       <213> Artificial
Barre B
<220>
ļ.i
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
             H2NCH2CH2N(CH2CH2)2NCH2C(=0)-proline
       <400> 11
       Xaa Leu Gly Leu Leu
                        5
       <210> 12
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
```

```
SEQUENCE LISTING.txt
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-proline
<400> 12
Xaa Leu Gly Leu Leu
                5
<210>
      13
<211>
<212>
      PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223> AcN(CH2CH2)2NCH2C(=0)-proline
<400> 13
Xaa Leu Gly Leu Leu
<210> 14
<211>
<212>
      PRT
<213>
      Artificial
<220>
<223>
      no comment
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223>
      O-benzyl-serine
<400> 14
```

[]

(i)

Ĺij

IJ

Ţij

Ш a i

M [] ļ.b

Pro Leu Gly Xaa

Page 6

```
SEQUENCE LISTING.txt
        <210> 15
        <211> 4
        <212>
              PRT
        <213>
               Artificial
        <220>
        <223>
              no comment
       <220>
       <221>
              MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <400>
              15
       Xaa Leu Gly Leu
[]
¥II
       <210>
               16
(i)
       <211>
[]
       <212>
              PRT
(i)
       <213>
              Artificial
Ĺ()
L.J
       <220>
fij
       <223>
             no comment
[]
       <220>
<221>
              MOD_RES
1-1
       <222>
              (1)..(1)
<223>
              acetyl-glycine
[]
ļ-1
       <400>
              16
       Xaa Pro Leu Gly Leu
       <210>
              17
       <211>
              6
       <212>
              PRT
       <213>
              Artificial
       <220>
       <223>
              no comment
       <220>
       <221>
              MOD_RES
       <222>
              (1)..(1)
       <223>
              N, N-dimethylglycine
```

```
<220>
        <221> MOD_RES
        <222>
              (3)..(3)
        <223> sarcosine (N-methylglycine)
        <220>
        <221> MOD_RES
        <222> (4)..(4)
        <223> homophenylalanine
        <400>
               17
        Xaa Pro Arg Xaa Xaa Leu
        1
                        5
<210>
               18
<211>
<u>[ij</u>
        <212>
              PRT
<213>
              Artificial
W
Ľ()
       <220>
L.
       <223>
              no comment
71,
       <220>
<221> MOD_RES
L.j
       <222>
              (1)..(1)
ļ.i
       <223> acetyl-proline
[]
h-L
       <220>
       <221>
             MOD_RES
       <222>
              (4)..(4)
       <223>
              homophenylalanine
       <400>
              18
       Xaa His Gly Xaa Leu
       <210>
             19
       <211>
              5
       <212>
              PRT
       <213>
              Artificial
       <220>
       <223>
             no comment
```

```
<220>
                                        <221> MOD_RES
                                        <222> (1)..(1)
                                        <223> acetyl-proline
                                       <220>
                                        <221> MOD_RES
                                       <222> (2)..(2)
                                        <223> ornithine
                                       <220>
                                       <221> MOD_RES
                                       <222> (4)..(4)
                                       <223> homophenylalanine
thenh afterth tilenh thereth after afterth former to the former to the former to the former than the former th
                                       <400> 19
                                       Xaa Xaa Gly Xaa Leu
                                       <210> 20
Lij
                                       <211> 5
 <212> PRT
 æ
                                       <213> Artificial
 L.j
                                       <220>
 # = k
                                       <223> no comment
 []]
 Ľ.
                                       <220>
 ļ.1
                                       <221> MOD_RES
                                       <222> (1)..(1)
                                       <223> acetyl-proline
                                       <220>
                                       <221> MOD_RES
                                       <222> (2)..(2)
                                       <223> diaminoproprionic acid
                                       <220>
                                       <221> MOD_RES
                                       <222>
                                                                        (4)..(4)
                                       <223> homophenylalanine
                                       <400> 20
```

```
Xaa Xaa Gly Xaa Leu
       <210>
             21
       <211> 5
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
<221> MOD_RES
ĮĮ.
       <222> (2)..(2)
<223> N5-aminocarbonylornithine
H
(I)
       <220>
W
       <221> MOD_RES
ĪΨ
       <222> (4)..(4)
       <223>
              homophenylalanine
774
44
ļ.i
       <400>
              21
[]
       Xaa Xaa Gly Xaa Leu
ļ.
       1
                       5
       <210>
              22
       <211>
             5
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (4)..(4)
```



Page 11

```
<223>
             (0-(3-pyridyl-)) tyrosine
       <400> 22
       Xaa Leu Gly Xaa Leu
       <210>
             23
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
[1]
       <222> (1)..(1)
ŧ.
       <223> acetyl-proline
M
įį,
       <220>
(i)
       <221> MOD_RES
H
       <222>
             (4)..(4)
<223>
             (0-(4-pyridyl-)) tyrosine
#=:
#=:
<400> 23
ļ.i
Xaa Leu Gly Xaa Leu
5
ļu.
       <210> 24
       <211> 5
       <212>
            PRT
       <213>
             Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (4)..(4)
             (4-aza-) homophenylalanine
       <223>
```

```
<400> 24
       Xaa Leu Gly Xaa Leu
       <210>
               25
       <211>
       <212>
              PRT
       <213>
              Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
              (1)..(1)
<223> acetyl-proline
4[]
[i]
ĩ.)
       <220>
(I)
       <221>
              MOD_RES
įij
       <222>
              (4)..(4)
Li]
       <223>
              (O-benzyl-) serine
M
=
<400>
              25
Щ
ļ.i
       Xaa Leu Gly Xaa Leu
LĴĪ
Ľ.
ļ.
       <210>
              26
       <211>
       <212>
              PRT
       <213>
             Artificial
       <220>
       <223>
              no comment
       <220>
       <221>
              MOD_RES
       <222>
              (1)..(1)
       <223>
              carbobenzyloxy-proline
       <220>
       <221>
              MOD_RES
       <222>
              (4)..(4)
       <223>
              (0-(4-pyridylmethyl-)) tyrosine
```

```
<400> 26
       Xaa Leu Gly Xaa Leu
                        5
       <210>
              27
       <211>
       <212>
              PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
              acetyl-proline
Į.į
ŧ[j
[i]
       <220>
[]
       <221> MOD_RES
(i)
       <222>
              (3)..(3)
Ü
       <223>
              sarcosine (N-methylglycine)
ЦŰ
FI,
       <400>
             27
ļ.
       Xaa Leu Xaa Leu Leu
ļ.
                        5
ļ!
C.
       <210>
              28
ļ.b
       <211>
              5
       <212>
             PRT
       <213>
              Artificial
       <220>
       <223>
              no comment
       <220>
       <221>
             MOD_RES
       <222>
              (1)..(1)
              acetyl-proline
       <223>
       <220>
       <221>
             MOD_RES
       <222>
              (2)..(2)
              (N-Me-) leucine
       <223>
```

```
<400> 28
        Xaa Xaa Gly Leu Leu
        1
        <210> 29
        <211> 5
        <212> PRT
        <213> Artificial
        <220>
        <223>
              no comment
        <220>
        <221> MOD_RES
        <222> (1)..(1)
        <223> acetyl-proline
[]
4 1
       <220>
<221>
              MOD_RES
<222> (4)..(4)
<223>
              (N-Me-) leucine
Ēij.
L.
TU
       <400>
               29
Xaa Leu Gly Xaa Leu
ļ.
ļ.,
LII
       <210>
              30
221
       <211>
              5
<u>--</u>
       <212>
              PRT
       <213>
             Artificial
       <220>
       <223>
             no comment
       <220>
       <221>
             MOD_RES
       <222>
              (1)..(1)
       <223>
              acetyl 4-hydroxyproline
       <400>
              30
       Xaa Leu Gly Leu Leu
       1
                        5
       <210>
              31
       <211>
              5
```

```
SEQUENCE LISTING.txt
```

```
<213>
             Artificial
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-(thiazolidine-4-carbonyl)
       <400> 31
       Xaa Leu Gly Leu Leu
       <210> 32
£.‡
       <211> 5
<212>
             PRT
[i]
       <213> Artificial
LÜ
       <220>
T#
       <223> no comment
ĮĮ.
fij
       <220>
       <221> MOD_RES
į,
       <222> (1)..(1)
<223> acetyl-(Homo-proline)
£=1
411
["]
       <400>
             32
$ = 1º
       Xaa Leu Gly Leu Leu
                       5
       1
       <210> 33
       <211> 5
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-(Homo-proline)
       <220>
```

<212>

PRT

```
SEQUENCE LISTING.txt
        <221>
               MOD_RES
        <222> (4)..(4)
        <223> homophenylalanine
        <400>
               33
       Xaa Leu Gly Xaa Leu
        1
                        5
       <210>
               34
       <211>
       <212>
              PRT
       <213> Artificial
       <220>
       <223>
              no comment
f:l
       <220>
₩.[]
       <221>
             MOD_RES
<222>
              (1)..(1)
[:]
       <223>
             acetyl-(Homo-proline)
[[]
(i)
44
       <220>
M
       <221>
              MOD_RES
       <222>
              (2)..(2)
£.}
       <223> ornithine
ļ.i
<220>
<221>
              MOD_RES
ļ.:
       <222>
              (4)..(4)
       <223>
              homophenylalanine
       <400> 34
       Xaa Xaa Gly Xaa Leu
                       5
       <210>
              35
       <211>
              5
      <212>
             PRT
      <213>
             Artificial
      <220>
      <223> no comment
      <220>
      <221>
             MOD_RES
```

```
SEQUENCE LISTING.txt
                                       <222> (1)..(1)
                                       <223> acetyl-Nipecotate
                                       <400> 35
                                      Xaa Leu Gly Leu Leu
                                       <210> 36
                                       <211> 5
                                       <212> PRT
                                       <213>
                                                                    Artificial
                                      <220>
                                       <223> no comment
                                      <220>
[]
                                       <221> MOD_RES
<222> (1)..(1)
then divide plant, in the stant, in the stan
                                      <223> acetyl-2-carboxyazetidine
[[]
                                     <400> 36
 ĻĮ
 11
                                      Xaa Leu Gly Leu Leu
                                                                                                                          5
                                       1
 1:1
 <210> 37
 þab
                                       <211>
                                                                     5
 <212> PRT
 121
                                      <213> Artificial
 ĥ:b
                                      <220>
                                       <223>
                                                                     no comment
                                       <220>
                                       <221> MOD_RES
                                       <222> (1)..(1)
                                       <223> acetyl-cyclohexylglycine
                                       <400> 37
                                      Xaa Leu Gly Leu Leu
                                       1
                                       <210> 38
                                       <211>
                                       <212> PRT
                                       <213> Artificial
```

```
<220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221>
             MOD_RES
       <222> (2)..(2)
       <223> valerolactam
       <400>
             38
Xaa Xaa Gly Leu Leu
1
M
<210>
              39
(i)
       <211>
              6
(i)
       <212>
             PRT
L.J
       <213>
             Artificial
fu
       <220>
C)
       <223>
             no comment
L.
ļ.
       <220>
<221>
              MOD_RES
[]
       <222>
              (1)..(1)
ļ-sk
       <223>
              acetyl-glycine
       <400>
             39
       Xaa Pro Leu Gly Leu Phe
       <210>
              40
       <211>
              6
       <212>
              PRT
       <213>
              Artificial
       <220>
       <223>
             no comment
      <220>
      <221>
              MOD_RES
      <222>
             (1)..(1)
```

```
SEQUENCE LISTING.txt
       <223> acetyl-glycine
       <400> 40
       Xaa Pro Leu Gly Phe Phe
                        5
       <210> 41
       <211> 5
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
<222> (1)..(1)
       <223> acetyl-leucine
April April 1
6 4 Feet 1
[i]
       <400> 41
(I)
L!
       Xaa Gly Leu Tyr Leu
2.1
       <210> 42
<211> 5
1-1
       <212> PRT
<213> Artificial
f=1
ğ:±
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> cyclopropylcarbonyl-leucine
       <400> 42
       Xaa Gly Leu Tyr Leu
                        5
       1
       <210> 43
       <211> 5
       <212> PRT
       <213> Artificial
```

```
SEQUENCE LISTING.txt
       <220>
       <223> no comment
       <220>
       <221>
             MOD_RES
       <222>
             (1)..(1)
       <223> cyclobutylcarbonyl-leucine
       <400> 43
       Xaa Gly Leu Tyr Leu
       <210>
             44
       <211>
              5
       <212>
             PRT
       <213>
             Artificial
<u>[</u>]
Į]
       <220>
ĹÜ
       <223>
C.
             no comment
£ij.
       <220>
[i]
       <221>
             MOD_RES
Ш
       <222>
              (1)..(1)
M
       <223>
             pivaloyl-leucine
[]
<400>
              44
---
Xaa Gly Leu Tyr Leu
ļ.,
                       5
       <210>
              45
       <211>
              7
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223>
             no comment
       <220>
       <221>
             MOD_RES
       <222>
             (1)..(1)
       <223>
              4-hydroxproline
       <400> 45
      Xaa Gly Pro Leu Gly Leu Leu
                       5
```

```
<210>
             46
       <211>
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
              acetyl-proline
       <400>
              46
       Xaa Leu Gly Leu Ala Leu
       <210>
             47
       <211>
             6
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223>
[]
             no comment
<220>
       <221>
             MOD_RES
<222>
             (1)..(1)
<223>
             acetyl-proline
ĥat
       <400> 47
      Xaa Leu Gly Leu Tyr Leu
      <210>
             48
      <211>
             6
      <212>
             PRT
      <213>
             Artificial
      <220>
      <223>
             no comment
      <220>
      <221>
             MOD_RES
      <222>
             (1)..(1)
      <223>
             polyethyleneglycol-proline
                                 Page 21
```

[] 151 T()

11

Ĺ()

Ü

fu

£=±

```
<400> 48
       Xaa Leu Gly Leu Tyr Leu
       <210> 49
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
there the state
       <223> H3CC(=0)NH-polyethyleneglycol-proline
4.7
       <400>
             49
[[]
       Xaa Leu Gly Leu Tyr Leu
[4]
                        5
       1
fi.
       <210> 50
227
       <211> 6
Į.
       <212> PRT
ļ. ak
       <213> Artificial
U
5.5
       <220>
L.L
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> AchnCh2Ch2n(Ch2Ch2)2nCh2C(=0)-proline
       <400> 50
       Xaa Leu Gly Leu Tyr Leu
       <210> 51
       <211> 6
       <212> PRT
             Artificial
       <213>
       <220>
```

```
<223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <400> 51
       Xaa Leu Gly Leu Ser Leu
       1
                       5
       <210> 52
       <211> 6
       <212> PRT
       <213> Artificial
<220>
       <223> no comment
(i)
£3
       <220>
(I)
       <221> MOD_RES
(i)
       <222> (1)..(1)
L.
       <223> acetyl-glycine
11
f.)
       <400> 52
Ų
į.i
       Xaa Pro Leu Gly Leu Leu
[]
ļ.:
       <210> 53
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
              O(CH2CH2)NCH2CH2NHC(=0)-glycine
       <400> 53
       Xaa Pro Leu Gly Leu Leu
                       5
       1
```

```
SEQUENCE LISTING.txt
       <210> 54
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-glycine
       <400> 54
       Xaa Pro Leu Gly Leu Tyr
įĮ
       <210> 55
then the trait
       <211> 6
       <212> PRT
       <213> Artificial
11
<220>
Ti,
       <223> no comment
Ħ
[]
       <220>
<221> MOD_RES
k-1-
       <222> (1)..(1)
L/I
       <223> acetyl-proline
î.
į.
       <400> 55
       Xaa Leu Gly Leu Leu Leu
       1
                       5
       <210> 56
       <211>
             6
       <212>
             PRT
       <213>
              Artificial
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> acetyl-glycine
```

```
<220>
       <221> MOD_RES
       <222> (5)..(5)
       <223> biphenylalanine
       <400> 56
       Xaa Pro Leu Gly Xaa Phe
       <210> 57
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
į.]
       <223> no comment
١]]
[[]
       <220>
<221> MOD_RES
ti)
       <222> (1)..(1)
(i)
       <223> acetyl-glycine
Ļij
ri,
       <220>
<u>[]</u>
       <221> MOD_RES
<222> (5)..(5)
Fa þ
       <223> norleucine
100
Feb
       <400> 57
       Xaa Pro Leu Gly Xaa Phe
       <210> 58
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> carbobenzyloxy-glycine
```

```
<400> 58
       Xaa Pro Leu Gly Leu Leu
                        5
       <210> 59
       <211>
             6
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
£.;
įĮ
       <400> 59
ĩ()
[]
       Xaa Pro Leu Gly Leu Leu
(i)
       1
fij
L.
       <210> 60
ių,
       <211>
       <212> PRT
[]
       <213> Artificial
Į.j
ar a is
       <220>
M
       <223> no comment
F=1
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> H2NCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
       <400> 60
       Xaa Pro Leu Gly Leu Leu
                       5
       <210> 61
       <211> 6
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
```

```
<220>
       <221> MOD RES
       <222> (1)..(1)
       <223> N,N-dimethylglycine
       <400> 61
       Xaa Pro Leu Gly Leu Leu
       <210> 62
       <211>
              6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
£.,
ŧ[]
       <220>
Ĺ()
       <221>
             MOD_RES
<222>
             (1)..(1)
[i]
       <223> acetyl-gamma-glutamic acid
(I)
Ļij
Tij
       <400>
              62
C)
       Xaa Pro Leu Gly Leu Leu
Į.
       1
                        5
ļ-=L
LII
       <210>
              63
       <211>
              6
ļ.
       <212>
             PRT
             Artificial
       <213>
       <220>
       <223> no comment
       <220>
       <221>
             MOD_RES
       <222> (1)..(1)
       <223>
              acetyl-glycine
       <220>
       <221>
              MOD_RES
       <222>
             (5)..(5)
       <223>
             3-thienylalanine
       <400> 63
```

```
Xaa Pro Leu Gly Xaa Phe
      <210>
            64
      <211> 6
      <212>
            PRT
      <213>
            Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-glycine
      <220>
ŧ[]
      <221> MOD_RES
(()
      <222>
            (5)..(5)
[]
      <223> 2-phenylglycine
Ĩ()
(i)
<400> 64
Xaa Pro Leu Gly Xaa Phe
1
                       5
L.I
ļ.
      <210>
            65
<211>
            6
<212>
            PRT
₽e‡
      <213>
            Artificial
      <220>
      <223> no comment
      <220>
      <221>
            MOD_RES
      <222>
            (1)..(1)
      <223>
            methoxyacetyl-glycine
      <400>
             65
      Xaa Pro Leu Gly Leu Leu
      <210>
             66
      <211>
             6
      <212>
            PRT
```

```
SEQUENCE LISTING.txt
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> 3-thienylalanine
<400> 66
Xaa Pro Leu Gly Xaa Leu
<210> 67
<211>
<212>
      PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> 2-phenylglycine
<400> 67
Xaa Pro Leu Gly Xaa Leu
```

that that that

[i]

Įij

TIJ

[]

W

The state

į.)

ļ.ui

5

<210> 68 <211> 6

<211> 6 <212> PRT

```
<220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> N.N-dimethylglycine
       <220>
       <221> MOD_RES
       <222> (5)..(5)
       <223> O-benzyl-tyrosine
       <400> 68
[]
       Xaa Pro Leu Gly Xaa Leu
ŧ[]
[i]
[]
       <210> 69
£ij.
Ĩij.
       <211> 6
       <212> PRT
ļij.
       <213> Artificial
N
Ð
<220>
       <223> no comment
W
F-F
Į.
       <220>
       <221> MOD_RES
[]
       <222> (1)..(1)
b=b
       <223> N,N-dimethylglycine
       <220>
       <221> MOD_RES
       <222> (5)..(5)
              biphenylalanine
       <223>
       <400> 69
       Xaa Pro Leu Gly Xaa Leu
                        5
       1
        <210> 70
        <211> 6
        <212> PRT
        <213> Artificial
```

```
<220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-glycine
      <220>
      <221> MOD_RES
       <222> (6)..(6)
       <223> biphenylalanine
       <400> 70
       Xaa Pro Leu Gly Phe Xaa
f.)
ŧ[]
[i]
       <210> 71
5-1
       <211> 6
ĹÜ
       <212> PRT
£()
       <213> Artificial
W
7[]
       <220>
<223> no comment
Ļij
       <220>
<u>---</u>
       <221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
       <220>
       <221> MOD_RES
       <222> (6)..(6)
       <223> biphenylalanine
       <400> 71
       Xaa Pro Leu Gly Leu Xaa
       <210>
              72
       <211>
              6
       <212> PRT
       <213> Artificial
       <220>
```

```
<223> no comment
                                   <220>
                                    <221> MOD_RES
                                    <222> (1)..(1)
                                   <223> acetyl-glycine
                                    <220>
                                    <221> MOD_RES
                                    <222> (5)..(5)
                                    <223> 2-naphthylalanine
                                     <220>
                                     <221> MOD_RES
                                     <222> (6)..(6)
                                     <223> biphenylalanine
[]
100 to 10
                                     <400> 72
$=}
ťij
                                     Xaa Pro Leu Gly Xaa Xaa
[1]
Ų
ſIJ
                                      <210>
                                                                          73
=
<211> 6
<212> PRT
                                                                      Artificial
ļ:t
                                      <213>
LII
<220>
                                      <223> no comment
ļ.,
                                      <220>
                                       <221> MOD_RES
                                       <222> (1)..(1)
                                        <223> acetyl-glycine
                                                                       73
                                        <400>
                                        Xaa Pro Leu Gly Phe Ala
                                                                                                                            5
                                        1
                                        <210>
                                                                            74
                                        <211>
                                                                             6
                                         <212> PRT
                                         <213> Artificial
                                         <220>
                                         <223> no comment
```

```
<220>
       <221>
              MOD_RES
       <222>
              (1)..(1)
       <223>
              acetyl-glycine
       <220>
       <221> MOD_RES
       <222>
              (5)..(5)
       <223>
              biphenylalanine
       <400>
              74
       Xaa Pro Leu Gly Xaa Ala
                        5
       1
Ľ.
       <210>
               75
ŧ]]
       <211>
              6
Ľ()
#=!
       <212>
              PRT
[i]
              Artificial
       <213>
Ĺ()
L.
       <220>
F!]
       <223>
              no comment
<220>
Į, j
       <221> MOD_RES
}-:
       <222>
              (1)..(1)
LIT
       <223> acetyl-glycine
Ē-si-
       <400>
              75
       Xaa Pro Leu Gly Leu Ala
                        5
       <210>
              76
       <211>
       <212>
              PRT
       <213>
              Artificial
       <220>
       <223>
              no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
              acetyl-glycine
```

```
<220>
       <221> MOD_RES
       <222> (5)..(5)
              O-benzyl-tyrosine
       <223>
       <400> 76
       Xaa Pro Leu Gly Xaa Phe
                        5
             77
       <210>
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
5=1
       <223> no comment
17
[I]
       <220>
[]
       <221> MOD_RES
(1)
       <222> (1)..(1)
Ü
       <223> acetyl-glycine
Ų
ΓIJ
=
       <400> 77
į, į
Į.Į
       Xaa Pro Gln Gly Leu Leu
£ 12
U
Ľ.
       <210> 78
1=4
        <211>
               6
        <212> PRT
        <213> Artificial
        <220>
        <223> no comment
        <220>
        <221> MOD_RES
        <222> (1)..(1)
               acetyl-glycine
        <223>
        <400> 78
        Xaa Pro Arg Gly Leu Leu
                         5
        1
               79
        <210>
        <211>
               6
```

```
<212>
             PRT
             Artificial
      <213>
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-glycine
      <220>
      <221> MOD_RES
       <222> (6)..(6)
       <223> 4-pyridyl-alanine
[]
١.
       <400> 79
Ĩij
[]
       Xaa Pro Leu Gly Leu Xaa
                       5
(i)
       1
(I)
Į.
       <210> 80
M
       <211> 6
Ξ
       <212> PRT
[]
       <213> Artificial
L.
Į,
       <220>
<223>
             no comment
(i
ğı:
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-glycine
       <400> 80
       Xaa Pro Leu Gly Leu Arg
       <210> 81
       <211> 6
       <212> PRT
       <213> Artificial
        <220>
        <223> no comment
        <220>
```

```
SEQUENCE LISTING.txt
        <221> MOD_RES
        <222>
              (1)..(1)
        <223>
              acetyl-glycine
       <400>
               81
       Xaa Pro Leu Gly Leu Trp
                         5
       <210>
               82
       <211>
       <212>
              PRT
       <213>
              Artificial
       <220>
       <223>
              no comment
$2£
11
       <220>
Ĩ()
       <221> MOD_RES
£.;
       <222>
              (1)..(1)
Ü
       <223> acetyl-glycine
H
TU
       <400> 82
rat
Lif
       Xaa Pro Leu Gly Val Leu
Į.į
                        5
ļ-i
LII
       <210>
              83
î.;
       <211>
              6
į.
       <212>
             PRT
       <213>
              Artificial
       <220>
       <223>
             no comment
       <220>
       <221>
              MOD_RES
       <222>
              (1)..(1)
       <223>
              acetyl-glycine
       <220>
       <221>
              MOD_RES
       <222>
              (5)..(5)
       <223>
              homophenylalanine
```

<400>

83

```
SEQUENCE LISTING.txt
       Xaa Pro Leu Gly Xaa Leu
                        5
       <210>
             84
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223>
              acetyl-glycine
       <400> 84
ī.i
ŧ[]
£()
       Xaa Pro Leu Ala Leu Leu
£2]
Ü
Ē()
       <210>
             85
<211>
              6
M
       <212>
              PRT
       <213>
             Artificial
[]
<220>
È=5
       <223> no comment
<220>
₽=F
       <221>
             MOD_RES
       <222>
             (1)..(1)
       <223>
             N, N-dimethylglycine
       <220>
       <221>
             MOD_RES
             (5)..(5)
       <222>
       <223>
             biphenylalanine
       <400>
              85
       Xaa Pro Ile Gly Xaa Leu
       <210>
              86
       <211>
              6
       <212>
              PRT
       <213> Artificial
```

```
<220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> N,N-dimethylglycine
       <220>
       <221> MOD_RES
       <222> (3)..(3)
       <223> cyclohexylglycine
       <220>
       <221> MOD_RES
<222> (5)..(5)
4[]
       <223> biphenylalanine
Man apan pang
Man an apan
Man and and
11)
       <400> 86
Xaa Pro Xaa Gly Xaa Leu
M
Į.į
       <210> 87
i ul
       <211> 6
ij.
       <212> PRT
[]
       <213> Artificial
ļ.
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-glycine
       <400> 87
       Xaa Pro Val Gly Leu Leu
                         5
       1
       <210> 88
       <211> 6
       <212> PRT
       <213> Artificial
```

```
SEQUENCE LISTING.txt
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
              (1)..(1)
       <223>
              N, N-dimethylglycine
       <400> 88
       Xaa Pro Ile Gly Leu Leu
       <210>
             89
       <211>
       <212>
              PRT
       <213>
             Artificial
£j
Z.
       <220>
<223>
             no comment
đ)
Ü
       <220>
Щ
       <221>
             MOD_RES
ΓIJ
       <222>
              (1)..(1)
       <223>
             N, N-dimethylglycine
Ē.
W
£==
       <220>
M
       <221>
             MOD_RES
<222>
              (5)..(5)
ļ.i
       <223>
              biphenylalanine
       <400>
              89
       Xaa Pro Arg Gly Xaa Leu
                       5
       <210>
              90
       <211>
              6
       <212>
              PRT
       <213>
             Artificial
       <220>
       <223>
              no comment
       <220>
       <221>
              MOD_RES
       <222>
              (1)..(1)
       <223>
              acetyl-glycine
```

```
<220>
       <221> MOD_RES
       <222>
             (6)..(6)
       <223> O-benzyl-tyrosine
       <400>
             90
       Xaa Pro Leu Gly Leu Xaa
                       5
       <210>
             91
       <211>
             6
       <212>
             PRT
             Artificial
       <213>
<220>
       <223> no comment
£()
       <220>
       <221> MOD_RES
11)
       <222>
             (1)..(1)
ļi!
       <223>
              acetyl-glycine
TI,
Į:ļ
       <400>
             91
ĮĮ.
f = b
Xaa Pro Leu Gly Glu Leu
Į.į
<210> 92
       <211> 6
       <212> PRT
             Artificial
       <213>
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> N,N-dimethylglycine
       <220>
              MOD_RES
       <221>
       <222>
             (5)..(5)
       <223> biphenylalanine
```

```
<400> 92
      Xaa Pro Lys Gly Xaa Leu
      1
      <210>
             93
      <211>
      <212>
            PRT
            Artificial
      <213>
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-glycine
[]
ŧ[]
Ħ
      <400> 93
£.;
Xaa Pro Leu Gly Leu Glu
ĩ()
Li
<210> 94
       <211> 6
       <212> PRT
IJ
       <213> Artificial
h-b
[]
       <220>
i.
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-glycine
       <220>
       <221> MOD_RES
       <222> (5)..(5)
       <223> biphenylalanine
       <400> 94
       Xaa Pro Leu Gly Xaa Glu
       <210> 95
```

```
<211> 7
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> N,N-dimethylglycine
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> sarcosine (N-methylglycine)
£1)
      <220>
£.]
      <221> MOD_RES
(1)
      <222> (5)..(5)
Ĭ()
      <223> homophenylalanine
M
      <400> 95
£=1
L.
       Xaa Pro Arg Xaa Xaa Arg Leu
į.
£=!
       <210> 96
*==
       <211> 7
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> N,N-dimethylglycine
       <220>
       <221> MOD_RES
       <222> (5)..(5)
       <223> homophenylalanine
       <400> 96
```

```
Xaa Pro Arg Gly Xaa Arg Leu
                       5
      <210> 97
      <211>
            7
            PRT
      <212>
            Artificial
      <213>
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> N,N-dimethylglycine
[]
      <220>
1]
      <221> MOD_RES
Ü
<222> (5)..(5)
M
      <223> biphenylalanine
Ĩ()
11]
Ħ
       <400> 97
C.
       Xaa Pro Arg Gly Xaa Arg Leu
ļ!,
                       5
ja b
<210> 98
<211> 6
ļ.:
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-glycine
       <400>
              98
       Xaa Pro Leu Gly Asn Leu
       <210>
              99
       <211>
              6
       <212> PRT
```

```
<213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-glycine
      <400> 99
      Xaa Pro Leu Gly Ser Leu
       1
      <210> 100
4
       <211> 6
       <212> PRT
TI)
      <213> Artificial
£.)
£41
      <220>
Ü
      <223> no comment
Į.Į
TI!
      <220>
       <221> MOD_RES
121
       <222> (1)..(1)
L.
       <223> acetyl-glycine
ļ.i
<220>
þa b
       <221> MOD_RES
       <222> (5)..(5)
       <223> 4-hydroxy-phenyl-glycine
       <400> 100
       Xaa Pro Leu Gly Xaa Leu
       1
       <210> 101
       <211> 6
       <212>
             PRT
             Artificial
       <213>
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
```

```
SEQUENCE LISTING.txt
       <222> (1)..(1)
       <223>
              acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (4)..(4)
       <223> homophenylalanine
       <400>
             101
       Xaa Leu Gly Xaa His Leu
                        5
       <210>
             102
       <211>
       <212>
             PRT
<213>
             Artificial
ţĮ
dest trus.
       <220>
       <223> no comment
<u>[()</u>
(i)
       <220>
LI)
       <221> MOD_RES
F1,
       <222> (1)..(1)
       <223> acetyl-proline
Ĩ.
W
ĝ:s b
       <220>
ĹĬĬ
       <221> MOD_RES
<222> (4)..(4)
===
       <223>
              homophenylalanine
       <400>
             102
       Xaa Leu Gly Xaa Ala Leu
       <210> 103
       <211>
             6
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
```

<222> (1)..(1)

```
SEQUENCE LISTING.txt
      <223> acetyl-proline
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> homphenylalanine
      <400> 103
      Xaa Leu Gly Xaa Tyr Leu
      <210> 104
      <211>
             6
      <212>
            PRT
      <213> Artificial
C:1
ųĮ)
      <220>
Serie den seus
      <223>
             no comment
      <220>
<221> MOD_RES
ļĮ,
      <222>
            (1)..(1)
11
      <223> acetyl-proline
Li,
      <220>
ļ.i
      <221>
            MOD_RES
<222> (4)..(4)
[]
      <223> homophenylalanine
<220>
      <221> MOD_RES
      <222> (5)..(5)
      <223> morpholinylpropyl-glycine
      <400> 104
      Xaa Leu Gly Xaa Xaa Leu
       <210> 105
       <211>
             7
       <212> PRT
       <213> Artificial
       <220>
```

```
SEQUENCE LISTING.txt
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<400> 105
Xaa Pro Leu Gly Xaa Tyr Leu
<210> 106
<211> 6
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> succinyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> homophenylalanine
<400>
     106
Xaa Leu Gly Xaa Tyr Leu
                5
1
<210>
      107
<211>
      6
<212>
     PRT
```

1,1

ű

£.]

M

free pings

ĹIJ

ļ.i

H

<213>

<220>

Artificial

<223> no comment

```
<220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (5)..(5)
             (0-(4-pyridylmethyl)-tyrosine)
       <223>
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homophenylalanine
the day
       <400> 107
Ħ
[]
       Xaa Leu Gly Xaa Xaa Leu
fij
                        5
       1
M
Li
       <210> 108
TIJ.
       <211> 6
       <212>
             PRT
£.]
       <213> Artificial
H
Į-L
       <220>
LII
       <223> no comment
Į.į
ļ.
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homo-tyrosine
       <400>
              108
       Xaa Leu Gly Xaa Tyr Leu
                        5
       1
       <210>
              109
       <211>
              6
```

```
SEQUENCE LISTING.txt
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-aza-homophenylalanine
<400> 109
Xaa Leu Gly Xaa Tyr Leu
<210>
     110
<211> 6
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> (0-(4-pyridyl-)-tyrosine)
<400>
     110
Xaa Leu Gly Xaa Tyr Leu
```

[]

W

fij

###

i e

1000 Jan

ļ.i

<210>

<211><212>

111

PRT

```
<213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-proline
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> phenylpropyl-glycine
      <400> 111
£1
ź.]
      Xaa Leu Gly Xaa Tyr Leu
Ü
ſ.)
(I)
       <210> 112
11)
       <211>
<212> PRT
M
       <213> Artificial
<220>
Į.j
       <223> no comment
ļ.
<220>
<221> MOD_RES
ļ. - L
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> styryl-alanine
       <400> 112
       Xaa Leu Gly Xaa Tyr Leu
                       5
       <210> 113
       <211>
             6
       <212>
             PRT
       <213> Artificial
```

```
<220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (4)..(4)
       <223> O-benzyl-serine
       <400>
             113
£.}
       Xaa Leu Gly Xaa Tyr Leu
١Į]
Ü
[]
       <210> 114
Ti)
       <211> 6
(I)
       <212> PRT
<213> Artificial
Fij
      <220>
      <223> no comment
Li,
Ļ.i
      <220>
U
      <221> MOD_RES
<222> (1)..(1)
ğa b
      <223> acetyl-proline
      <220>
      <221> MOD_RES
      <222> (2)..(2)
      <223> N,N-dimethyl-lysine
      <220>
      <221> MOD_RES
      <222>
             (4)..(4)
      <223> homophenylalanine
      <400> 114
      Xaa Xaa Gly Xaa Tyr Leu
      1
```

```
<210>
             115
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetylproline
       <220>
       <221> MOD_RES
       <222>
             (4)..(4)
¥=4
       <223> homophenylalanine
ų[]
Hade story spare .
       <220>
       <221> MOD_RES
(I)
       <222> (5)..(5)
<223>
              diaminopropionic acid
M
5
[]
       <400>
              115
Ų.
---
       Xaa Leu Gly Xaa Xaa Leu
5
£01
£=6
       <210> 116
       <211>
       <212>
             PRT
             Artificial
       <213>
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223>
             acetyl-proline
       <220>
       <221>
             MOD_RES
             (4)..(4)
       <222>
       <223> homophenylalanine
```

```
<220>
       <221> MOD_RES
       <222> (5)..(5)
       <223> ornithine
       <400> 116
       Xaa Leu Gly Xaa Xaa Leu
       <210>
             117
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
C)
       <223> no comment
411
Ü
       <220>
Ĉ)
       <221>
             MOD_RES
(i)
       <222> (1)..(1)
[i]
       <223> polyethyleneglycol-proline
U
M
≅
       <220>
<221>
             MOD_RES
W
       <222>
             (4)..(4)
į.i
       <223>
             homophenylalanine
M
Fab
       <220>
      <221> MOD_RES
       <222>
             (5)..(5)
      <223> ornithine
      <400> 117
      Xaa Leu Gly Xaa Xaa Leu
      1
                       5
      <210>
             118
      <211>
             7
      <212>
             PRT
      <213> Artificial
      <220>
      <223> no comment
```

```
SEQUENCE LISTING.txt
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222> (5)..(5)
<223> homophenylalanine
<220>
<221> MOD_RES
<222> (6)..(6)
<223> ornithine
<400>
       118
Xaa Pro Leu Gly Xaa Xaa Leu
1
                5
<210>
      119
<211>
<212>
      PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       gamma-glutamic acid
<220>
      MOD_RES
<221>
<222>
      (5)..(5)
<223>
       homophenylalanine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223>
     ornithine
```

###

£.;

The first

ſIJ

4

ļ.ab

House sparts

ţ.i

<400>

119

```
Xaa Pro Leu Gly Xaa Xaa Leu
                       5
              120
       <210>
       <211>
              PRT
       <212>
       <213>
             Artificial
       <220>
             no comment
       <223>
       <220>
             MOD_RES
       <221>
       <222>
             (1)..(1)
             acetyl-proline
       <223>
       <220>
[]
       <221>
             MOD_RES
ŧ[]
       <222>
             (2)..(2)
ornithine
       <223>
(I)
C()
       <220>
ļ.
       <221> MOD_RES
ſij
       <222>
             (4)..(4)
       <223> homophenylalanine
Ç=1
ĮĮ,
<220>
<221> MOD_RES
Ĺ)
             (5)..(5)
       <222>
       <223> ornithine
       <400>
             120
       Xaa Xaa Gly Xaa Xaa Leu
       1
              121
       <210>
       <211>
       <212>
             PRT
              Artificial
       <213>
       <220>
       <223>
             no comment
       <220>
             MOD_RES
       <221>
       <222>
             (1)..(1)
```

SEQUENCE LISTING.txt <223> acetyl-proline <220> <221> MOD RES <222> (2)..(2) <223> ornithine <220> <221> MOD_RES <222> (4)..(4)<223> homophenylalanine <400> 121 Xaa Xaa Gly Xaa Tyr Leu 5 <210> 122 <211> 7 <212> PRT Artificial <213> <220> <223> no comment <220> <221> MOD_RES <222> (1)..(1) <223> acetyl-gamma-glutamic acid <220> <221> MOD_RES <222> (3)..(3) <223> ornithine <220> <221> MOD_RES <222> (5)..(5) <223> homophenylalanine

Fªt Har

dads programs that that that

Ü

(1)

erif mag

£ a L

124

<400>

1

122

Xaa Pro Xaa Gly Xaa Glu Leu

5

```
<210> 123
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
      <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (2)..(2)
       <223> ornithine
£=‡
404
M
      <400> 123
Ñ
      Xaa Xaa Gly Leu Tyr Leu
[[]
ij
fli
       <210> 124
       <211> 6
121
       <212> PRT
Ĺij
       <213>
            Artificial
<220>
C)
      <223> no comment
ļ.:
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (2)..(2)
       <223> 4-aza-phenylalanine
       <400>
            124
       Xaa Xaa Gly Leu Tyr Leu
       <210> 125
```

```
SEQUENCE LISTING.txt
       <211> 6
       <212> PRT
       <213>
             Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (4)..(4)
       <223> homophenylalanine
124
      <220>
Ĺ()
      <221> MOD_RES
£2}
<222> (5)..(5)
      <223> 2,4-diaminobutanoic acid
Ħ
TĮ,
      <400> 125
Xaa Leu Gly Xaa Xaa Leu
ļ.
17
      <210> 126
<211> 6
Ļ.
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-proline
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> homophenylalanine
      <400> 126
```

```
Xaa Leu Gly Xaa Lys Leu
      <210>
            127
      <211>
            PRT
      <212>
      <213> Artificial
      <220>
      <223>
            no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-proline
4.
      <220>
Ü
      <221> MOD RES
E.J
      <222> (4)..(4)
ĮĮ,
      <223> homophenylalanine
(i)
IJ
74
      <220>
쿒
      <221> MOD_RES
11
      <222> (5)..(5)
H
      <223> N,N-dimethyl-lysine
1 = 1
<400>
            127
      Xaa Leu Gly Xaa Xaa Leu
      <210> 128
       <211>
             7
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> N,N-dimethylglycine
       <220>
       <221> MOD_RES
```

```
SEQUENCE LISTING.txt
       <222> (5)..(5)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
       <222> (6)..(6)
       <223> N,N-dimethyl-lysine
       <400> 128
      Xaa Pro Leu Gly Xaa Xaa Leu
      <210> 129
      <211> 6
       <212> PRT
[]
      <213> Artificial
4.1
Ü
      <220>
Ĩ.;
      <223> no comment
(i)
(I)
      <220>
Į.
      <221> MOD_RES
74
      <222> (1)..(1)
[]
      <223> polyethyleneglycol-proline
ļ.:
<220>
<221> MOD_RES
ļ.i
      <222>
             (4)..(4)
      <223> homophenylalanine
      <220>
      <221> MOD_RES
       <222>
             (5)..(5)
      <223> N, N-dimethyl-lysine
      <400>
             129
      Xaa Leu Gly Xaa Xaa Leu
      <210> 130
      <211>
             7
      <212>
            PRT
      <213> Artificial
```

```
SEQUENCE LISTING.txt
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-gamma-glutamic acid
       <220>
       <221> MOD_RES
       <222>
             (5)..(5)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
       <222>
             (6)..(6)
Ľ.
       <223> N,N-dimethyl-lysine
### ###
### ###
<u>f</u> "j
       <400>
              130
ĨÜ
(1)
       Xaa Pro Leu Gly Xaa Xaa Leu
Ĺij
                        5
       1
M
       <210>
              131
#:L
       <211>
             7
H
       <212>
             PRT
fob
       <213>
             Artificial
7.1
       <220>
ŧ.:
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> gamma-glutamic acid
       <220>
       <221> MOD_RES
       <222>
             (5)..(5)
       <223> homophenylalanine
       <220>
       <221>
             MOD_RES
       <222>
              (6)..(6)
```

<223> N,N-dimethyl-lysine

```
<400> 131
       Xaa Pro Leu Gly Xaa Xaa Leu
       <210>
             132
       <211>
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223>
             no comment
       <220>
       <221>
             MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
#[]
ĩ()
       <220>
<221>
             MOD_RES
Ü
       <222>
             (4)..(4)
Įij.
       <223>
             homophenylalanine
L!
f!
       <220>
<221>
             MOD_RES
W
       <222>
             (5)..(5)
f-ck
       <223>
             N, N-dimethyl-lysine
M
[]
Į.
      <220>
      <221>
             MOD_RES
      <222>
             (6)..(6)
      <223> norleucine
      <400> 132
      Xaa Leu Gly Xaa Xaa Xaa
      <210>
             133
      <211>
             6
      <212>
             PRT
      <213> Artificial
      <220>
      <223> no comment
```

```
<220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
       <222>
             (5)..(5)
       <223> N, N-dimethyl-lysine
[]
       <220>
1]
       <221> MOD_RES
Ĩij.
       <222> (6)..(6)
774 PT
       <223> cyclohexylalanine
[4]
<400> 133
74
       Xaa Leu Gly Xaa Xaa Xaa
ist
Lak
H
ļ., L
       <210> 134
<211> 6
[]
       <212> PRT
i si
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (4)..(4)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
```

```
SEQUENCE LISTING.txt
<222> (5)..(5)
<223> N5-aminocarbonylornithine
<400> 134
Xaa Leu Gly Xaa Xaa Leu
<210> 135
<211>
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222> (5)..(5)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
      N5-aminocarbonylornithine
<223>
<400>
      135
Xaa Pro Leu Gly Xaa Xaa Leu
<210>
      136
<211>
<212>
      PRT
<213>
      Artificial
<220>
<223> no comment
<220>
```

Ţij.

Hoft from dark

L!

M

ŧ

Hadi und adh

171

ļ.

<221> MOD_RES <222> (1)..(1)

SEQUENCE LISTING.txt <223> acetyl-proline <220> <221> MOD_RES <222> (4)..(4)<223> homophenylalanine <400> 136 Xaa Leu Gly Xaa Gln Leu <210> 137 <211> 6 <212> PRT <213> Artificial ĩ. Park the <220> <223> no comment <220> ££) <221> MOD_RES L. <222> (1)..(1)<223> acetyl-proline U <220> Fak <221> MOD_RES 111 <222> (4)..(4) Ľ.J <223> homophenylalanine Į., <220> <221> MOD_RES <222> (5)..(5) <223> 4-aza-phenylalanine <400> 137 Xaa Leu Gly Xaa Xaa Leu <210> 138 <211> 6 <212> PRT <213> Artificial

<220>

```
<223>
            no comment
      <220>
      <221> MOD_RES
      <222>
             (1)..(1)
      <223> acetyl-proline
      <220>
      <221> MOD_RES
      <222>
             (4)..(4)
      <223> homophenylalanine
      <400>
             138
      Xaa Leu Gly Xaa Val Leu
<210>
            139
47
      <211>
      <212>
             PRT
Ħ
      <213> Artificial
ĩij.
<220>
fu
      <223> no comment
Œ
<220>
<221> MOD_RES
ļa z b
      <222> (1)..(1)
171
2 . j
      <223> acetyl-gamma-glutamic acid
ĝ.
      <220>
      <221> MOD_RES
      <222> (5)..(5)
      <223> homophenylalanine
             139
       <400>
      Xaa Pro Leu Gly Xaa Glu Leu
                       5
       <210>
             140
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
```

```
<220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-glycine
      <220>
      <221> MOD_RES
      <222> (2)..(2)
      <223> 2-carboxyazetidine
      <400> 140
      Xaa Xaa Leu Gly Leu Leu
                       5
      1
£#)
      <210> 141
<211> 5
Ĩij.
      <212> PRT
<213> Artificial
(i)
<220>
Į.
      <223> no comment
71,
101
      <220>
      <221> MOD_RES
<222> (1)..(1)
i a
      <223> acetyl-(4-fluoro-phenylalanine)
(1)
ļak
      <400> 141
      Xaa Leu Gly Leu Leu
      <210> 142
      <211> 6
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD RES
      <222> (1)..(1)
      <223> acetyl-homophenylalanine
```

```
<400> 142
      Xaa Leu Gly Leu Tyr Leu
                      5
      <210> 143
      <211>
             6
      <212>
            PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-homophenylalanine
£.j
ŧ[]
      <220>
Ü
      <221> MOD_RES
Ľ.
      <222> (4)..(4)
[()
      <223> homophenylalanine
Ü
W
<220>
      <221> MOD_RES
      <222> (5)..(5)
Į.į
      <223> ornithine
ļ.
[]
      <400> 143
j.
      Xaa Leu Gly Xaa Xaa Leu
                      5
      1
      <210> 144
      <211>
            6
      <212>
            PRT
      <213>
            Artificial
      <220>
      <223>
            no comment
      <220>
      <221>
            MOD_RES
      <222> (1)..(1)
      <223> acetyl-2-carboxyazetidine
      <400> 144
```

```
Xaa Leu Gly Leu Tyr Leu
      <210> 145
      <211> 6
      <212> PRT
      <213> Artificial
      <220>
      <223>
            no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-2-carboxyazetidine
                    ι,
<220>
423
      <221> MOD_RES
fi
      <222> (4)..(4)
Prof. prof.
      <223> homophenylalanine
[i]
ij
      <220>
îij
      <221> MOD_RES
      <222> (5)..(5)
      <223> ornithine
Ļ≈Ł
<400> 145
į.i
      Xaa Leu Gly Xaa Xaa Leu
      <210> 146
      <211> 6
      <212>
            PRT
      <213>
            Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-proline
      <400> 146
```

```
SEQUENCE LISTING.txt
Xaa Leu Gly Leu Tyr Gly
1
                5
<210>
     147
<211>
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> homophenylalanine
<400>
      147
Xaa Leu Gly Xaa Tyr Gly
                5
<210> 148
<211>
      6
<212>
      PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (6)..(6)
<223>
      beta-homo-leucine
```

<400> 148

ŧ[]

đ

then there had been the track

mark Have

ļ.

U

[]

ļ.,

Xaa Leu Gly Leu Tyr Xaa

```
5
       1
       <210> 149
       <211> 6
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
[]
       <222> (4)..(4)
ų.
       <223> homophenylalanine
ĩ()
<220>
11
       <221> MOD_RES
Ĺij
       <222> (6)..(6)
M
       <223> beta-homo-leucine
[]
<400>
             149
ğ = i
Xaa Leu Gly Xaa Tyr Xaa
<u>--</u>
       <210> 150
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
             acetyl-proline
      <220>
       <221> MOD_RES
       <222>
             (6)..(6)
       <223> beta-alanine
```

```
<400> 150
      Xaa Leu Gly Leu Tyr Xaa
      <210> 151
      <211> 6
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-proline
ŧ[]
<220>
ĪÜ
      <221> MOD_RES
<222> (6)..(6)
<223> 6-aminohexanoic acid
fig.
ť.į
      <400> 151
įįį
---
      Xaa Leu Gly Leu Tyr Xaa
Į,
       1
Ľ.
       <210> 152
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222>
             (6)..(6)
       <223> 4-amino-5-phenylpentanoic acid
```

```
<400> 152
       Xaa Leu Gly Leu Tyr Xaa
       <210>
              153
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
f.,
4.1
[]
       <220>
404
       <221> MOD_RES
[[]
       <222>
             (6)..(6)
[[]
       <223>
              4-amino-7-methylheptanoic acid
Ĺij
M
       <400> 153
IJ
       Xaa Leu Gly Leu Tyr Xaa
5
       1
#=#
#=#
       <210>
             154
---
       <211>
             7
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223>
              acetyl-proline
       <400> 154
      Xaa Leu Gly Leu Leu Ala Leu
       <210> 155
```

```
SEQUENCE LISTING.txt
<211> 7
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223>
      acetyl-proline
<400> 155
Xaa Leu Gly Leu Tyr Ala Leu
                5
<210> 156
<211> 7
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<400> 156
Xaa Pro Leu Gly Leu Ala Leu
                5
```

ŧ[]

M

Prof. Prof.

L.i

M

[_]

ļ.j

ļ.,

there that they

```
<210> 157
<211> 7
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
```

```
<400> 157
       Xaa Leu Gly Leu Ala Ala Leu
       <210>
              158
       <211>
       <212>
             PRT
       <213>
             Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
[]
ų[]
       <400> 158
(i)
[]
       Xaa Leu Gly Leu Ala Leu Leu
ŧ1)
       1
Įij.
IJ
       <210>
             159
N
       <211>
       <212>
             PRT
Ĭ.j
       <213>
             Artificial
Li)
<u>-</u>---
       <220>
UI.
[]
       <223> no comment
---
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <400> 159
       Xaa Leu Gly Leu Leu Ser Leu
       <210> 160
       <211>
              7
       <212> PRT
       <213>
              Artificial
       <220>
       <223> no comment
```

```
SEQUENCE LISTING.txt
```

```
<220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <400> 160
       Xaa Leu Gly Leu Leu Leu
       <210> 161
       <211>
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
Ę.j
ŧ[]
       <220>
<221> MOD_RES
f.,
       <222>
             (1)..(1)
Ü
       <223> N, N-dimethylglycine
[[]
L.j
M
      <400> 161
=
Ē.ļ
      Xaa Pro Leu Gly Leu Tyr Leu
Ų
ļ:i
<210>
              162
<211>
ļ.
      <212>
             PRT
      <213>
             Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223>
             N, N-dimethylglycine
      <220>
      <221> MOD_RES
      <222>
             (5)..(5)
      <223> 2-phenylglycine
      <400> 162
```

```
Xaa Pro Arg Gly Xaa Tyr Leu
       <210>
              163
       <211>
              7
       <212>
             PRT
       <213> Artificial
       <220>
       <223>
             no comment
       <220>
       <221>
             MOD_RES
       <222>
              (1)..(1)
       <223> acetyl-glycine
£.j
       <400>
              163
ţ[]
dent pluts
of 11 pent.
       Xaa Pro Leu Gly Leu Arg Leu
(i)
<210>
             164
<211>
             4
<212>
             PRT
       <213>
             Artificial
ſ:į
Į.į
       <220>
<223>
             no comment
171
<220>
fra b
       <221>
             MOD_RES
       <222> (1)..(1)
       <223> 4-(2-(5,6,7,8-tetrahydronaphthenyl))butyl-glycine
       <220>
       <221>
              MOD_RES
       <222>
              (2)..(2)
       <223>
              homophenylalanine
       <400>
              164
      Xaa Xaa Tyr Leu
      <210>
              165
      <211>
      <212>
              PRT
```

```
SEQUENCE LISTING.txt
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homophenylalanine
       <220>
<221>
             MOD_RES
i.
       <222> (5)..(5)
ĩ!
       <223>
              N-methylpiperazinepropyl-glycine
C)
[()
(1)
       <400>
              165
[4]
M
       Xaa Leu Gly Xaa Xaa Leu
       1
£1;
                       5
Щ
             166
       <210>
Į.i
       <211>
PRT
       <212>
[]
       <213> Artificial
ļ.,
       <220>
       <223> no comment
      <220>
       <221> MOD_RES
       <222> (1)..(1)
      <223> tetrazoleacetyl-proline
      <220>
      <221>
            MOD_RES
      <222>
             (4)..(4)
      <223>
             homophenylalanine
      <400>
             166
      Xaa Leu Gly Xaa Tyr Leu
```

```
1
                       5
       <210>
            167
       <211>
       <212> PRT
       <213> Artificial
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> tetrazoleacetyl-proline
       <220>
       <221> MOD_RES
ij
       <222> (4)..(4)
4[]
       <223> O-benzyl-serine
Tool tool
Ü
      <400> 167
Ü
Ĺij.
      Xaa Leu Gly Xaa Tyr Leu
M
       1
[]
       <210> 168
Į.
       <211> 6
ļ.
       <212> PRT
LF
       <213> Artificial
£:}
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> tetrazoleacetyl-proline
       <220>
       <221> MOD_RES
      <222> (4)..(4)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
       <222> (6)..(6)
       <223> norleucine
```

```
<400> 168
       Xaa Leu Gly Xaa Tyr Xaa
       <210> 169
       <211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (4)..(4)
C)
       <223> O-benzyl-serine
11
(i)
[]
      <400> 169
(i)
      Pro Leu Gly Xaa Tyr Leu
[4]
       1
                       5
£1,
      <210> 170
gri
Lar
       <211> 6
[i]
      <212> PRT
an b
      <213> Artificial
131
£.j
      <220>
₽=E
      <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
      <220>
       <221> MOD_RES
       <222>
             (4)..(4)
       <223> homophenylalanine
      <220>
      <221> MOD_RES
      <222> (5)..(5)
      <223> homo-tyrosine
```

```
<400> 170
      Xaa Leu Gly Xaa Xaa Leu
                       5
       1
       <210>
             171
       <211>
       <212>
             PRT
       <213> Artificial
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222>
             (1)..(1)
       <223> acetyl-proline
Ē.
ŧij.
the fut
       <220>
       <221> MOD_RES
C()
       <222> (2)..(2)
(I)
       <223> 4-aza-hydroxy-phenylalanine
[4]
fli
Ħ
       <220>
Z.
       <221> MOD_RES
<222> (4)..(4)
ļ. = 5
       <223> 4-aza-hydroxy-phenylalanine
[]
as a
       <400>
             171
       Xaa Xaa Gly Xaa Tyr Leu
                        5
       <210>
             172
       <211>
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
```

```
<220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> O-allyl-serine
      <400> 172
      Xaa Leu Gly Xaa Tyr Leu
                      5
      <210> 173
      <211> 6
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
ŧ[]
      <220>
£()
      <221> MOD_RES
[]
      <222> (1)..(1)
įij
      <223> acetyl-proline
W
fi!
      <220>
<221> MOD_RES
Į.,
      <222> (4)..(4)
      <223> 4-nitro-homophenylalanine
ļ-i-
į.
      <400> 173
      Xaa Leu Gly Xaa Tyr Leu
                      5
      <210> 174
      <211> 6
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (1)..(1)
      <223> acetyl-proline
```

```
SEQUENCE LISTING.txt
       <221> MOD_RES
       <222>
             (4)..(4)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
       <222> (5)..(5)
       <223> 4-aza-hydroxy-phenylalanine
       <400>
             174
       Xaa Leu Gly Xaa Xaa Leu
       <210>
             175
       <211>
             6
[]
       <212>
             PRT
١]]
       <213> Artificial
Ē()
[]
       <220>
[[]
       <223>
             no comment
[[]
<220>
fij
       <221>
             MOD_RES
      <222> (1)..(1)
[:]
      <223>
             acetyl-proline
Ĺij.
ļ.
U
      <220>
<221>
             MOD_RES
ļ=:
      <222>
             (4)..(4)
      <223>
             O-methyl-serine
      <400> 175
      Xaa Leu Gly Xaa Tyr Leu
      1
                       5
      <210>
             176
      <211>
      <212>
             PRT
      <213>
             Artificial
      <220>
      <223>
             no comment
      <220>
      <221>
             MOD_RES
```

```
SEQUENCE LISTING.txt
       <222> (1)..(1)
       <223> acetyl-gamma-glutamic acid
       <220>
      <221> MOD_RES
       <222> (5)..(5)
       <223> O-benzyl-serine
      <400>
             176
      Xaa Pro Leu Gly Xaa Tyr Leu
      <210> 177
      <211> 7
      <212> PRT
      <213> Artificial
ŧ[]
11)
      <220>
[]
      <223> no comment
[i]
Ü
      <220>
<221> MOD_RES
fIJ
      <222> (1)..(1)
      <223> acetyl-gamma-glutamic acid
Lij
ļ.
      <220>
171
      <221> MOD_RES
[]
      <222>
             (5)..(5)
ļ-b
      <223> O-benzyl-serine
      <220>
            MOD_RES
      <221>
      <222>
            (7)..(7)
      <223> norleucine
      <400> 177
      Xaa Pro Leu Gly Xaa Tyr Xaa
      <210>
            178
      <211>
             6
      <212>
            PRT
      <213> Artificial
```

```
SEQUENCE LISTING.txt
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> 3-pyridinecarbonyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> homophenylalanine
<400> 178
Xaa Leu Gly Xaa Tyr Leu
<210> 179
<211> 6
<212>
      PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> 2-pyrazinecarbonyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<400> 179
Xaa Leu Gly Xaa Tyr Leu
1
<210>
      180
<211>
     6
```

[] 41.45 43" 47.46, 11".11

[:]

11)

£()

M

[:] W

ļ.,

H

[]

<212>

<220>

PRT <213> Artificial

```
<223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> acetyl-proline
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
     . <222> (5)..(5)
       <223> dimethyl-lysine
[]
111
ĩ()
       <220>
[]
       <221> MOD_RES
Ē()
       <222> (6)..(6)
(i)
       <223> norleucine
Į.j
<400> 180
Ţ:
L.
      Xaa Leu Gly Xaa Xaa Xaa
Fot
       1
                       5
[7]
<210>
             181
ļ.i
       <211>
             6
       <212>
             PRT
       <213>
             Artificial
      <220>
      <223>
             no comment
      <220>
      <221> MOD_RES
      <222>
             (1)..(1)
      <223> acetyl-proline
      <220>
      <221>
             MOD_RES
      <222>
             (4)..(4)
      <223>
             homophenylalanine
```

```
<220>
      <221> MOD_RES
      <222> (6)..(6)
      <223> homoserine
      <400> 181
      Xaa Leu Gly Xaa Tyr Xaa
                       5
      1
      <210> 182
      <211>
            6
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
C)
ĮĮ
      <220>
[[]
      <221> MOD_RES
<222> (1)..(1)
(()
      <223> acetyl-proline
M
L.
ſij
      <220>
      <221> MOD_RES
î.j
      <222> (4)..(4)
H
      <223> homo-phenylalanine
125
U
<220>
      <221> MOD_RES
      <222> (6)..(6)
      <223> homo-leucine
      <400> 182
      Xaa Leu Gly Xaa Tyr Xaa
                       5
      <210> 183
      <211> 6
      <212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
```

```
SEQUENCE LISTING.txt
```

```
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
      (4)..(4)
<222>
<223> O-benzyl-threonine
<400>
      183
Xaa Leu Gly Xaa Tyr Leu
1
                5
<210>
      184
<211>
<212> PRT
<213> Artificial
<220>
<223> no comment
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      homophenylalanine
<220>
<221>
      MOD_RES
<222> (7)..(7)
<223> norleucine
<400>
     184
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
<210>
      185
<211>
      7
<212>
      PRT
<213> Artificial
```

ĮĮį.

Hall Amil H II Jeef.

£11

ΓIJ

him appropriate

[]

je e t

```
<220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> gamma-glutamic acid
       <220>
       <221> MOD_RES
       <222> (3)..(3)
       <223> ornithine
       <220>
       <221> MOD_RES
f";
       <222> (5)..(5)
ŕ[]
       <223> homophenylalanine
(I)
E.I
£()
       <400>
             185
(I)
i i
       Xaa Pro Xaa Gly Xaa Glu Leu
Ĉ)
       <210> 186
<211>
ļ.:L
       <212> PRT
<213>
             Artificial
[]
ļ.:
       <220>
       <223>
             no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223>
              gamma-glutamic acid
       <220>
       <221> MOD_RES
       <222> (5)..(5)
       <223>
              O-benzyl-serine
       <400>
              186
       Xaa Pro Leu Gly Xaa Tyr Leu
                       5
```

```
<210> 187
             7
       <211>
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (1)..(1)
       <223> gamma-glutamic acid
       <220>
       <221> MOD_RES
       <222>
             (5)..(5)
<223> O-benzyl-serine
4.1
The Con-
       <220>
ĩI)
W
       <221> MOD_RES
       <222>
(7)..(7)
       <223>
Ĩij.
              norleucine
₩
<400>
              187
Li]
ĻĿ
Xaa Pro Leu Gly Xaa Tyr Xaa
£1;
- i
       <210>
              188
       <211>
       <212> PRT
       <213>
             Artificial
      <220>
      <223>
             no comment
      <220>
      <221> MOD_RES
      <222>
             (4)..(4)
      <223>
            O-benzyl-serine
      <400> 188
      Pro Leu Gly Xaa Tyr Leu
```

```
SEQUENCE LISTING.txt
      <210> 189
      <211> 6
      <212>
             PRT
      <213>
            Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> O-methyl-serine
      <400> 189
      Pro Leu Gly Xaa Tyr Leu
[]
4.25
      <210> 190
(ii
      <211>
            6
£1
      <212> PRT
C()
      <213> Artificial
ĩ()
L.
      <220>
M
      <223> no comment
      <220>
<221>
             MOD_RES
ļ.
      <222> (4)..(4)
II
      <223> 4-aza-hydroxy-phenylalanine
C)
ğ=:
      <400> 190
      Pro Leu Gly Xaa Tyr Leu
                       5
      <210> 191
      <211> 6
      <212>
             PRT
      <213>
             Artificial
      <220>
      <223> no comment
      <220>
            MOD_RES
      <221>
      <222>
             (4)..(4)
      <223> homophenylalanine
```

```
<400> 191
       Pro Leu Gly Xaa Tyr Leu
       <210> 192
       <211> 6
       <212>
             PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homophenylalanine
£=3
4[]
<400> 192
t:
      Pro Leu Gly Xaa Glu Leu
C()
Į.j
TIJ
      <210>
             193
      <211>
<212>
             PRT
      <213>
             Artificial
ļ.
U
      <220>
Ĺ)
      <223>
            no comment
ļ.,
      <220>
      <221> MOD_RES
      <222>
             (4)..(4)
      <223>
             O-benzyl-serine
      <220>
      <221> MOD_RES
      <222>
             (6)..(6)
      <223> norleucine
      <400> 193
      Pro Leu Gly Xaa Tyr Xaa
      1
                      5
      <210> 194
```

```
SEQUENCE LISTING.txt
```

```
<211> 6
       <212> PRT
       <213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> O-methyl-serine
       <220>
       <221> MOD_RES
       <222> (6)..(6)
       <223> norleucine
£:1
4[]
      <400> 194
The Mark
      Pro Leu Gly Xaa Tyr Xaa
Īij.
[1]
L!
      <210> 195
<211> 6
Ξ
      <212> PRT
ĉ.
      <213> Artificial
Ш
Į.
      <220>
L/I
      <223> no comment
fr:
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> 4-aza-hydroxy-phenylalanine
      <220>
      <221> MOD_RES
      <222>
             (6)..(6)
      <223> norleucine
      <400> 195
      Pro Leu Gly Xaa Tyr Xaa
                       5
      <210> 196
      <211>
             6
```

```
<212> PRT
      <213> Artificial
      <220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> homophenylalanine
      <220>
      <221> MOD_RES
      <222> (6)..(6)
      <223> norleucine
201
      <400> 196
4[]
(I)
      Pro Leu Gly Xaa Tyr Xaa
5
Ē.
<210> 197
ļ.
      <211> 6
<212> PRT
      <213> Artificial
IJ
      <220>
---
      <223> no comment
C)
      <220>
F=F
      <221> MOD_RES
      <222> (4)..(4)
      <223> homophenylalanine
      <220>
      <221> MOD_RES
      <222> (6)..(6)
      <223> norleucine
      <400> 197
      Pro Leu Gly Xaa Glu Xaa
      <210> 198
      <211>
            6
      <212>
            PRT
```

```
<213> Artificial
       <220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> O-benzyl-serine
       <220>
       <221> MOD_RES
       <222> (6)..(6)
       <223> homoleucine
       <400> 198
£31
¥ij
       Pro Leu Gly Xaa Tyr Xaa
đ)
[]
Ĺij
       <210> 199
(I)
       <211> 6
<212> PRT
N
       <213> Artificial
<220>
Lij
      <223>
            no comment
ļ.
<220>
ſ.)
      <221> MOD_RES
ļ.
      <222>
             (4)..(4)
      <223> O-methyl-serine
      <220>
      <221> MOD_RES
      <222>
             (6)..(6)
      <223> homoleucine
      <400> 199
      Pro Leu Gly Xaa Tyr Xaa
      <210>
             200
      <211>
             6
      <212>
            PRT
      <213>
            Artificial
```

```
<220>
      <223> no comment
      <220>
      <221> MOD_RES
      <222> (4)..(4)
      <223> 4-aza-hydroxy-phenylalanine
      <220>
      <221> MOD_RES
      <222> (6)..(6)
      <223> homoleucine
      <400> 200
Pro Leu Gly Xaa Tyr Xaa
ŧ[]
      1
                      5
[]
      <210> 201
[4]
      <211>
            6
C()
      <212> PRT
L!
      <213>
            Artificial
ΠJ
₽
      <220>
Ē.
      <223> no comment
Ш
Ļai
      <220>
<221> MOD_RES
<222> (4)..(4)
- k
      <223> homophenylalanine
      <220>
      <221> MOD_RES
      <222> (6)..(6)
      <223> homoleucine
      <400> 201
      Pro Leu Gly Xaa Tyr Xaa
      <210> 202
      <211> 6
      <212> PRT
      <213> Artificial
```

```
<220>
       <223> no comment
       <220>
       <221> MOD_RES
       <222> (4)..(4)
       <223> homophenylalanine
       <220>
       <221> MOD_RES
       <222>
             (6)..(6)
       <223> homoleucine
       <400> 202
       Pro Leu Gly Xaa Glu Xaa
£.)
ų)
<210> 203
£.]
       <211> 4
[()
       <212>
             PRT
u
       <213>
             Artificial
Lij
TI.
       <220>
S
       <223>
             no comment
[]
L.
       <400>
              203
---
Pro Leu Gly Leu
ļ=1
       <210> 204
       <211> 7
       <212>
             PRT
       <213>
             Artificial
      <220>
      <223>
            no comment
      <400>
             204
      Pro Leu Gly Leu Leu Tyr Leu
      <210> 205
      <211>
             5
      <212>
             PRT
      <213> Artificial
```

```
<220>
       <223> no comment
       <400> 205
       Gly Pro Leu Gly Leu
                       5
       <210> 206
       <211> 5
       <212> PRT
       <213> Artificial
      <220>
       <223> no comment
      <400> 206
£.;
      Asp Pro Leu Gly Leu
5
444 444
444 1444
      <210>
             207
11)
      <211>
Ĺij.
      <212> PRT
<213> Artificial
M
s
      <220>
£.;
      <223> no comment
ļ.i
      <400> 207
Ļ!!
Pro Glu Gln Gly Leu
                       5
      <210> 208
      <211> 4
      <212>
             PRT
      <213> Artificial
      <220>
      <223> no comment
      <400> 208
      Pro Gln Gly Leu
      <210> 209
      <211>
             7
      <212> PRT
      <213> Artificial
```

```
<220>
       <223>
              no comment
       <220>
       <221> MOD_RES
       <222>
              (5)..(5)
       <223>
               diphenylalanine
       <400> 209
       Pro Leu Gly Leu Xaa Ala Arg
       <210>
               210
       <211>
       <212>
              PRT
C)
       <213> Artificial
then plants that all
       <220>
       <223>
              no comment
ći.
       <220>
ļ.
       <221> MOD_RES
M
       <222>
              (4)..(4)
       <223>
               homophenylalanine
Li)
ğı i
       <400>
              210
IJ
f=1
       Pro Leu Gly Xaa
ļ.
```